

WWW.INDPART.COM

TECHNICAL FILE

SANdBOT 200L



TECHNICAL FILE SANdBOT 200



The patented Polish SANdBOT dust-free cleaning system is an innovative technology of abrasive blasting. A wide range of applications SANdBOT devices make them the most versatile and efficient devices on the market.

— Poland, equipped with a dust-free-cleaning system, is a bath and wall cleaning system, used by the use of hydrop and water-cleaning technology

— The surface is cleaned with air-water-abrasive stream.

— Designed to be used in safe conditions: does not cause dust, reduces the sparking effect to a minimum..

— It makes it possible to apply for a year and a number of different rules, in this case.

— It enables cleaning with an innovative method of garnetting.

TECHNICAL FILE SANdBOT 100

TECHNICAL DATA

Tank capacity	200L
MACHINE WEIGHT (without water and abrasive)	190 Kg
TOTAL WEIGHT (with water and abrasive)	400 Kg
External dimensions	1510 x 850 x 800 mm
Water consumption	1 - 4 l / min
CONSUMPTION	1 - 5 kg / min
SIZE OF A COMPRESSED AIR CIRCUIT	3/4" - 2"
SIZE OF THE WATER CIRCUIT	1/4" - 1"
DIMENSION OF JET HOSE - ABRASIVE	1" - 1 1/4"
LENGTH OF JET-ABRASIVE HOSE	10 - 100 m (10m as standard, extension as an option)
WORK NOZZLE MEDIUM	od 4 mm
STRESS STREAM PRESSURE	0.3 - 0.8 Mpa
PRESSURE AND REQUIREMENT OF COMPRESSED AIR	0.3 - 0.8 Mpa, 3 - 8 bar, 3 - 7 m ³ / min
WATER SUPPLY	Water supply network, open tanks
POSSIBILITY OF SUCTION	Yes
THE NEED FOR WATER FILTERING	No
CONTROL	pneumatic
Abrasive type	All mineral abrasives with a grain thickness of 0.1-1.8 mm, e.g. garnet, quartz sand, copper slag, aluminum oxide, micro glass balls, soda (dry or wet)



Distributor

ROMAX Waterjet SRL
Str. Turnu Magutrele 270D
sect. 4 Bucharest
ROMANIA

Tel: +40722.584.777



indpart